

Statistical Graphics Meet Medicine and Public Health

Jürgen Symanzik

Utah State University, Logan, UT, USA

***e-mail: symanzik@math.usu.edu**

WWW: <http://www.math.usu.edu/~symanzik>


Contents

- Why Graphics for “Outsiders”?
- Exploratory Graphics for Actigraphy Data
- Micromaps for West Nile Virus and Oral Clefts
- Carpal Tunnel Syndrome Data
- Conclusion

Interview with Andreas Buja*

- “ ... when I think back about what really may have had the most impact in what I did in the various labs that I worked, it’s graphics! You know whenever I made a striking picture, people actually went “aahh,” “wow,” “that’s great!”, “Why don’t we do more of this?” Pictures really, really speak. ...”

Inspiration for Statistical Graphics



SECTION ON
STATISTICAL
GRAPHICS



AMERICAN
STATISTICAL
ASSOCIATION

<http://www.amstat-online.org/sections/graphics/>

American Statistical
Association
Statistical Graphics Section
Poster Series (~2004)

<http://www.public.iastate.edu/~dicook/Stat.Graphics/posters.html>

- **Example:**
Exploratory Graphics for Functional Actigraphy Data in Sleep Medicine

- **References:**


Symanzik, J., Shannon, W. (2008): Exploratory Graphics for Functional Actigraphy Data, *JSM Proceedings*, American Statistical Association, CD.

Sharif, A., Symanzik, J., Shannon, W. D. (2010): An Object-Oriented Approach in R for the Visualization of Functional Actigraphy Data, *Computing Science and Statistics*, 41 (Forthcoming).

Ding, J., Symanzik, J., Sharif, A., Wang, J., Duntley, S., Shannon, W. D. (2011): Powerful Actigraphy Data Through Functional Representation, *Chance*, 24(3): 30-36.

Background (1)

- **Actigraphy**: emerging technology for measuring a patient's activity level continuously over time
- **Actigraph**: watch-like device (attached to the wrist or a leg) that uses an accelerometer to measure (human) movements (every minute or more often)




Background (2)



- **Analysis of Human Actigraphy Data:**
Useful for detecting sleep, for assessing insomnia and restless leg syndrome, for tracking recovery after heart attacks, and as an assessment tool for overall status of HIV patients
- Actigraphy Data can be best described as functional data

Visualization of Functional Data

- Very limited ! A rare example is:
Jank, W., Shmueli, G., Plaisant, C., Shneiderman, B.
(2008): Visualizing Functional Data with an Application to
eBay's Online Auctions, In: Chen, C., Härdle, W., Unwin,
A. (Eds.), Handbook of Data Visualization, Springer,
Berlin/Heidelberg, 873-898.
- Figure from
<http://www.smith.umd.edu/faculty/wjank/DIV-Berlin2006.pdf>
(page 30).




Current Visualization of Actigraphy Data



Suggested Future Visualization of Actigraphy Data (1)


- Displays for
 - Raw data
 - Smoothed data
 - Averages etc.
 - Velocity (First Derivative)
 - Acceleration (Second Derivative)
 - Brushing & Linking
 - Cumulative Sums
- Example: 1 Subject
 - Orange: 5 Days at Baseline
 - Purple: 5 Days after 6 Months




Live Demo

-  AVAD Software (Web Interface to R)
- Prototype Developer: Abbass Sharif


Raw Data




Raw Data




Smoothed Daily Data




Raw Data







Smoothed Daily Data




Velocity (First Derivative) of Smoothed Daily Data




Raw Data**Smoothed Daily Data****Velocity (First Derivative) of Smoothed Daily Data****Acceleration (Second Derivative) of Smoothed Daily Data**


Raw Data (Base Day 3 Brushed)




Smoothed Daily Data (Base Day 3 Brushed)




Velocity (First Derivative) of Smoothed Daily Data (Base Day 3 Brushed)




Acceleration (Second Derivative) of Smoothed Daily Data (Base Day 3 Brushed)




Smoothed Daily Data (Base Day 2 Brushed)




Smoothed Daily Data (Base Day 2 Brushed)




Cumulative Sums (Base Day 2 Brushed)




Smoothed Daily Data (Base Day 2 Brushed)



Cumulative Sums (Base Day 2 Brushed)



Sorted Cumulative Sums (Base Day 2 Brushed)



Conclusions

Visualization of Actigraphy Data provides

- Potential for application in various medical fields
- Additional insights into actigraphy data
- Ease to compare baseline and past-treatment data
 - » of a single patient
 - » of multiple patients
 - » to identify outliers
 - » to compare averages

■ **Example:**

Micromaps for Oral Clefts and West Nile Virus

■ **References:**


Symanzik, J., Gebreab, S., Gillies, R. Wilson, J. (2003): Visualizing the Spread of West Nile Virus, 2003 Proceedings, American Statistical Association, Alexandria, Virginia, CD .

Gebreab, S. Y., Gillies, R. R., Munger, R. G., Symanzik, J. (2008): Visualization and Interpretation of Birth Defects Data Using Linked Micromap Plots, *Birth Defects Research (Part A): Clinical and Molecular Teratology*, 82(2): 110-119.


Symanzik, J., Carr, D. B. (2008): Interactive Linked Micromap Plots for the Display of Geographically Referenced Statistical Data, In: Chen, C., Härdle, W., Unwin, A. (Eds.), *Handbook of Data Visualization*, Springer, Berlin/Heidelberg, 267-294.

Micromaps

- Link of row-labeled univariate (or multivariate) statistical summaries to corresponding geographical region
- Focus on statistical display and not on maps
- Useful for
 - environmental data
 - agricultural data
 - medical data
 - economical data




Choropleth Maps vs Micromaps (1)




Choropleth Maps vs Micromaps (2)

Soybean Statistics by State, 1997 Census of Agriculture




Oral Cleft Micromap Example: USA

Oral Cleft Occurrence by State 1998–2002



Oral Cleft Micromap Example: Utah

Oral Cleft Occurrence by County for the State of Utah 1995–2004




West Nile Virus (WNV)



- Introduced to the US in 1999
- Spread across North America in 5 years
- Initial event - Culex mosquito transmits virus within avian populations
- Bridging Aedes albopictus transmits virus from birds to animals and humans



From 2003 CDC



West Nile Virus 2003 Lab-Positive Human Cases




Left Column Data

Area: US - state level
 Data Group: West Nile Virus
 Host Group: Human Cases
 Statistic: Infection Rate
 Year: 2002
 Sex: Both Sexes

Right Column Data (optional)

Data Group: West Nile Virus
 Host Group: Human Cases
 Statistic: Infection Count
 Year: 2002
 Sex: Both Sexes

Draw Clear
 Overview
 Options ?



■ <http://webcat.gis.usu.edu:8080/index.html>

■ Example:

Agreement in Carpal Tunnel Syndrome (CTS) Studies

References:

Dale, A.M., Strickland, J., Symanzik, J., Franzblau, A., Evanoff, B. (2008): Reliability of Hand Diagrams for the Epidemiologic Case Definition of Carpal Tunnel Syndrome, *Journal of Occupational Rehabilitation*, 18(3): 233-248.

Dale, A. M., Strickland, J., Gardner, B., Symanzik, J., Evanoff, B. A. (2010): Assessing Agreement of Self-reported and Observed Physical Exposures of the Upper Extremity, *International Journal of Occupational and Environmental Health*, 16(1): 1-10.

Symanzik, J. (2010): Interactive and Dynamic Statistical Graphics, In: Lovric, M. (Ed.), *International Encyclopedia of Statistical Science*, Springer, 674-679.


Study Background

- Subjects have to indicate where they experience what kind of “pain” on their fingers/hands
- Background:
 - 393 Subjects
 - 494 Hand Diagrams
- Expert raters assign values from 0 (unlikely) to 3 (classic), describing severity of CTS
- Interested in rating agreement among 3 expert raters

	RIGHT WRIST	LEFT WRIST	RIGHT HAND	LEFT HAND	RIGHT FINGERS	LEFT FINGERS
Burning/ Pain	○	○	○	○	○	○
Tightness/ Stiffness	○	○	○	○	○	○
Soreness/ Cramping/ Aching	○	○	○	○	○	○
Numbness/ Tingling	○	○	○	○	○	○


Please show on the diagram to the right where you have experienced numbness, tingling, burning, or pain by shading in the problem area.

If you have not experienced these symptoms, please skip to the next question.



The diagram consists of four line drawings of hands arranged in a 2x2 grid. The top row shows the palms of the right and left hands. The bottom row shows the backs of the right and left hands. Each hand has a wrist line and a thumb. The fingers are labeled with letters: T (Thumb), I (Index), M (Middle), R (Ring), and P (Pinky). The diagrams are intended for shading areas where symptoms like numbness, tingling, burning, or pain are experienced.

Live Demo





-  Mondrian
- <http://www.rosuda.org/Mondrian/>
- Visualization of categorical and geographic data
- Main Developer: Martin Theus







Mondrian(CTS_factors_Mond...)




File Plot Calc Options Window Help

abc JobCat
 Gender
 Race
 Age
 Telephone
 ExpClass
 RightRater1
 RightConsensus
 LeftRater1
 LeftConsensus

171/332 (51.51%)







[0, 1)
 Count: 185.0
 Hilited: 33.0 (17.84%)




Numerical Results (1)

- Weighted “kappa” represents agreement between three experts, based on difference between how much agreement is present compared to how much agreement would be expected by chance alone (possible range is -1.0 to 1.0)
- Interpretation:
 - < 0 : Less than chance agreement
 - 0.01 – 0.20: Slight agreement
 - 0.21 – 0.40: Fair agreement
 - 0.41 – 0.60: Moderate agreement
 - 0.61 – 0.80: Substantial agreement
 - 0.81 – 0.99: Almost perfect agreement
- Observed Results:
 - Left Hand Diagrams: 0.88 (95% CI: 0.83, 0.91)
 - Right Hand Diagrams: 0.83 (95% CI: 0.78, 0.87)


Graphical Results (1)

- Comparison of Rating Consensus Scores of 3 Raters, Compared to the Raters' Individual Scores



Graphical Results (2)

Detailed Comparison of Raters' Individual Scores



Overall Conclusions

- Visual approach effective to see unexpected structure in data
- Not every graphic will make it into a paper, but many of those that do not make it will provide useful insights for the researchers:
 - Graphics often help to create new hypotheses
 - Graphics useful to verify results
- Combination of different graphical techniques (static, interactive, various plots) most effective
- Graphics can be used for almost all types of data

Questions ???